

K-Obiol®
ULV 6

**Liquid Grain Protectant
for the control of stored product pests.**

K-OBIOL® ULV6
Contains 6 g/litre deltamethrin and 54 g/litre piperonyl butoxide

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
When using do not eat, drink or smoke.
Do not breathe the spray.
Keep out of reach of children.
Keep away from food, drink and animal feeding stuffs.

DANGEROUS FOR THE ENVIRONMENT
This material and its container must be disposed of in a safe way.
Use appropriate containment to avoid environmental contamination.
To avoid risks to man and the environment, comply with the instructions for use.
MAPP 13572, PCS 03642

An Ultra Low Volume (UL) formulation containing 6 g/litre deltamethrin and 54 g/l Piperonyl butoxide.

20 L

SAFETY PRECAUTIONS

Precautions marked * are a legal requirement.

Operator Protection

TAKE OFF IMMEDIATELY all contaminated clothing.
WASH CONCENTRATEDLY from skin or eyes immediately.
WHEN USING DO NOT EAT, DRINK OR SMOKE.
DO NOT BREATHE SPRAY.
WASH HANDS AND EXPOSED SKIN before meals and after work.
IF YOU FEEL UNWELL, seek medical advice immediately (show label where possible).

Environmental Protection

* Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

Storage and Disposal

KEEP OUT OF REACH OF CHILDREN.
KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.
KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.
RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing 3 times. Dispose of washings safely.
*DO NOT RE-USE CONTAINER for any purpose.

WHO-classification: III (slightly hazardous).

Important Information:

FOR USE ONLY AS AN AGRICULTURAL INSECTICIDE IN FOOD STORAGE PRACTICE

Crops/situations:	For use on stored grain and pulses
Maximum individual dose:	
Direct admixture with grain:	4.2 litres to 100 tonnes of grain
Maximum number of treatments - grains, pulses:	1 per batch

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work (UK only).

Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence. Follow the code of practice for using plant protection products.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

GENERAL INFORMATION:

K-Obiol® ULV6 is a liquid grain protectant for the control of stored product pests including crawling insects such as grain weevils, flour beetles, grain borers, saw-toothed grain beetles and bean weevils and flying insects such as rice moths, indian meal moths and grain moths.

RESTRICTIONS:

The Maximum Residue Level (MRL) on whole cereal grains for deltamethrin is 2 ppm.

APPLICATION:**Direct admixture with grain**

K-Obiol® ULV6 is for direct treatment of bulk grain using (enclosed) low volume foggers. Cold fogging generates a very fine spray normally applied where grain falls at the elevator boot or in a closed conveyor. Not to be used in open elevators/conveyors or other non-enclosed application systems. The application rate should be 4.2 litres of K-Obiol® ULV6 per 100 tonnes of grain to provide up to 12 months protection against crawling insects and up to three month against flying insects i.e. moths.

RESISTANCE

Where strains resistant to deltamethrin occur or develop, effective control will not be achieved.

First Aid Advice**Contact with Skin:**

Remove contaminated clothes and shoes. Wash off skin with plenty of soap and water. Seek medical advice immediately.

Contact with Eyes:

Rinse immediately with cold water for at least 15 minutes. Seek medical advice immediately.

In case of Ingestion:


Wash out mouth with water. **Do not induce vomiting.** Do not give anything to eat or drink. Ensure airway is clear. Seek medical advice immediately.

In case of Inhalation

Following more than incidental inhalation remove patient to fresh air, make them rest and keep them warm.
Seek medical advice immediately.

Medical Treatment

There is no specific antidote to deltamethrin and piperonyl butoxide or the product as formulated. Symptomatic and supportive therapy is indicated.



For 24 hour emergency information contact Bayer CropScience Limited.
Telephone: 0800 220876 (UK 24 hr), +44(0)1603-242424 (Overseas 24 hr)
or nearest National Poisons Information Centre.



Batch number : see on the pack

K-Obiol® ULV6 is a registered trademark of Bayer Environmental Science SAS.

K-Obiol ULV6 - 20 L - GB - GB79286937E


Authorization holder:
Bayer Environmental Science SAS
16 rue Jean-Marie Leclair, CP 106
F-69266 Lyon Cedex 09
France.

Bayer Environmental Science
Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge CB4 0WB
Tel: 00800 1214 9451

Bayer Environmental Science
A Business Operation of Bayer CropScience

UN 3082
Environmentally hazardous
substance, liquid, n.o.s.
(Deltamethrin solution)

ARTICLE 79228570



In case of emergency telephone:
France +33 (0) 4 72 85 25 25