

**HARMFUL TO MAMMALS****DIRECTIONS FOR USE**

Place the powder in a layer 2.5-5 cm (1 to 2 inches) wide inside and across the entrance to rat holes. This can be done by means of a flat piece of wood used as a spoon. Alternatively, it can be blown into the rat holes by means of a hand-operated dusting machine.

Make sure that the powder is placed well into the holes, so that other animals cannot reach it. The powder may also be placed along the rat runs; provided these places are not accessible to domestic animals. A layer of powder about 3 mm (1/8 inch) thick should be laid in patches 30 cm (1 foot) in length intermittently along the runs.

In the course of their activities, rats pick up the powder, which sticks to their fur and, when they groom themselves, some of the material is ingested. The effect of the contact powder is cumulative and it should be left down for at least five days. Where there is a heavy infestation, it may be necessary to put down more powder. When no fresh tracks are seen for a week, it can be assumed that the infestation has been cleared up. Unused contact powder should then be cleared away.

The anticoagulant resistance status of the target population should be taken into account when considering the choice of rodenticide to be used.

**PRECAUTIONS**

WASH HANDS AND EXPOSED SKIN before meals and after use. Keep only in the original container. Keep container tightly closed. KEEP IN A SAFE PLACE.

In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

**FIRST AID**

If eaten, consult a doctor or veterinary surgeon and show him this label. Racumin contains coumatetralyl, a coumarin type anticoagulant. Treatment: Vitamin K<sub>1</sub> (phytomenadione). Coumatetralyl is an indirect anticoagulant. Phytomenadione, Vitamin K<sub>1</sub>, is antidotal. Determine prothrombin times not less than eighteen hours after consumption. If elevated, administer Vitamin K<sub>1</sub> until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

To avoid risks to man and the environment comply with the instructions for use.

Safety data sheet available for professional user on request.

**STATUTORY CONDITIONS RELATING TO USE - FOR USE ONLY BY PROFESSIONAL OPERATORS**

Rodenticide for professional use against rats indoors and outdoors.

**Application rate**

Place the powder inside rat holes, across the entrance to rat holes and along rat runs according to the directions for use on this label. It may be necessary to put down more powder. The (COSH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

Wear suitable gloves. Wear suitable dusk mask.

PREVENT ACCESS TO POWDER by children, birds and non-target animals particularly dogs, cats and pigs.

SEARCH FOR RODENT BODIES AND DISPOSE OF SAFELY (e.g. burn or bury). Do not dispose of in refuse sacks or on open rubbish tips. REMOVE EXPOSED POWDER AFTER TREATMENT AND DISPOSE OF SAFELY (e.g. burn or bury). Do not dispose of in refuse sacks or on open rubbish tips. DO NOT PLACE DUST where food, feed or water could become contaminated.

AVOID ALL CONTACT BY MOUTH.

This material and its container must be disposed of as hazardous waste.

**READ ALL PRECAUTIONS BEFORE USE**

(HSE 6755)

**In Ire PCS No. 93410**

This product is approved under The Control of Pesticides Regulations (1986) for use as directed (HSE 6755).

**Approval Holder :**

Bayer Environmental Science, SAS Lyon

Emergency phone UK : 0800 220876 or nearest

National Poisons Information Centre

Racumin® is a registered trademark of Bayer.

© Copyright of Bayer 2004 - All rights reserved.

1 kg - GB79010338A - ARTICLE 79001940

Further information is available from:

Bayer Environmental Science

Bayer CropScience Limited

230 Cambridge Science Park

Milton Road - Cambridge CB4 0WB

Tel : 00 44 (0) 1223 226680

Bayer Environmental Science

A Business Group of

Bayer CropScience

