



Anticoagulant rodenticide

FOR USE ONLY IN RODENT CONTROL BY PROFESSIONAL OPERATORS



**Harmful in contact with skin and if swallowed.**

**Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.**

**Xn - Harmful**

When prepared as directed the bait contains 0.05 % w/w chlorophacinone.

**DIRECTIONS FOR USE**

**Baiting**

Set individual stations near rat holes or known runs, using about 57 g bait. Protect bait from prevailing weather. Make them inaccessible to domestic animals, chickens and other non-targets by sheltering them with boards or tiles.

The resistance status of the target population should be taken into account when considering the choice of rodenticide to be used.

**Follow-up**

Long term use of this product (particularly out of doors) must be avoided.

Rodents taking DRAT® usually die within 7 days. Inspect the baiting points at intervals of 2 to 3 days, replenish as necessary and remove unused bait after 7 to 10 days.

It is recommended that records of treatments and risk assessments be maintained to ensure that the risk of rodenticide resistance developing is prevented.

**Poisoning of domestic animals**

Seek advice/treatment from your veterinary surgeon.

Chlorophacinone is a prothrombin inhibitor with a longer duration of action than warfarin.

Treatment - Vitamin K<sub>1</sub> (5 mg/kg/day in divided doses).

Initial treatment should be by injection.

It is recommended that oral therapy of this dose rate is maintained for 21 days to prevent relapse.

Supportive therapy is also indicated.

**Advice to Doctor**

Chlorophacinone is an indirect anticoagulant. Phytomenadione, Vitamin K<sub>1</sub>, is antidotal.

Determine prothrombin times not less than eighteen hours after consumption.

If elevated, administer Vitamin K<sub>1</sub> and continue until prothrombin time normalises.

Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

**PRECAUTIONS**

WASH ALL PROTECTIVE CLOTHING thoroughly after use, especially the inside of gloves.

WASH ANY CONTAMINATION from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after use.

Keep away from food, drink and animal feeding stuffs.

Keep out of the reach of children.

Keep only in the original container.

Keep container tightly closed.

KEEP IN A SAFE PLACE.

In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

Wild mammals may be at greater risk if this product is not used in accordance with the label.

PROTECT FROM FROST

To avoid risks to man and the environment comply with the instructions for use.

Safety data sheet available for professional user on request.

**STATUTORY CONDITIONS RELATING TO USE**

FOR USE ONLY IN RAT CONTROL BY PROFESSIONAL OPERATORS.

Rodenticide for professional use against rats. For use indoors and outdoors.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment.

Wear suitable protective clothing and gloves.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

AVOID ALL CONTACT BY MOUTH.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

HARMFUL TO WILDLIFE

Search for and remove rodent bodies at frequent\* intervals during treatment (unless used in sewers). Collect and dispose of the remains of bait and any remaining rodent bodies after treatment (unless used in sewers). You must ensure that you comply with legislation regarding the correct disposal of waste. For further guidance, contact the Environmental Agency or your local Scottish Environment Protection Agency (SEPA) office (\*intervals will vary depending on formulation and treatment regime; therefore the user should refer to and comply with the manufacturer's guidelines).

DO NOT PREPARE BAIT where food, feed or water could become contaminated.

DO NOT PLACE BAIT where food, feed or water could become contaminated (except when used in sewers).

PREVENT ACCESS TO BAIT by children, birds and non-target animals (particularly dogs, cats and pigs).

This material and its container must be disposed of as hazardous waste.

**READ ALL PRECAUTIONS BEFORE USE (HSE 6741)**

The (COSHH) Control of Substances Hazardous to Health Regulations (1999) may apply to the use of this product at work.

This product is approved under The Control of Pesticides Regulations 1986 (as amended) for use as directed (HSE 6741).

Approval Holder: Bayer Environmental Science SAS, Lyon

Emergency phone:

UK: 0800 220876

or nearest National Poisons Information Centre

Bayer Environmental Science  
a Business Group of  
Bayer CropScience Limited  
230 Cambridge Science Park  
Milton Road  
Cambridge CB4 0WB  
Tel : 00 44 (0) 1223 226680



Bayer Environmental Science  
A Business Group of  
Bayer CropScience

DRAT® is a registered trademark of Bayer  
© Copyright of Bayer 2004 – All rights reserved

GB04601962B - ARTICLE 04204815